

	L #	Hits	Search Text	DBs
1	L1	1888	((523/160) or (523/161)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
2	L2	897	((106/31.6) or (106/31.85)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
3	L3	8813 55	@pd>"20051227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
4	L4	126	1 and 3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
5	L5	70	2 and 3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
6	L6	1058 1	(nonaqueous or non adj aqueous or (solvent or oil) adj base\$2 or oily) near5 ink	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
7	L7	2100 0	(nonaqueous or non adj aqueous or (solvent or oil) adj base\$2 or oily) near3 (carrier or medium)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
8	L8	5022	laminat\$5 near3 ink	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
9	L9	3712 7	aminopropanol or aminoethylpropanediol or aminobutanol or diethylaminoethanol or diethylaminopropanol or aminoalcohol or amino near3 alcohol	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
10	L10	7680 54	(hydrochloric or nitric or sulfuric or acetic or citric or aminobenzoic) adj acid	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
11	L11	3876 87	aminoacid or amino near3 acid or aminobenzoic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
12	L12	1927	hot adj melt near3 (polyamide or nylon) or macromelt or (unirez or uni adj rez) adj10 ("2622" "2636" "2643" "2646" "2648" "2654" "2665" "2221") or versalon\$2 adj "1140" or bm\$2 adj "3789"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
13	L14	4769 88	(sodium or potassium or ammonium) adj hydroxide or monoethanolamine or ethanolamine or triethanolamine or dimethylethanolamine or diethylenetriamine or (ethanol or triethanol or dimethylethanol) adj amine	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
14	L15	56	(6 7 8) and pigment and (9 10 11 14) and 12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
15	L16	0	(4 5) and (6 7 8) and pigment and (9 10 11 14) and 12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
16	L17	0	(4 5) and ink and pigment and (9 10 11 14) and 12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
17	L18	0	(4 5) and (6 7 8) and pigment and 12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
18	L21	5	3 and ink and pigment and (9 10 11 14) and 12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
19	L22	7	3 and (6 7 8) and pigment and (9 10 11 14) and 12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
20	L23	1	1 and (6 7 8) and pigment and (9 10 11 14) and 12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
21	L24	3	1 and ink and pigment and (9 10 11 14) and 12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
22	L25	0	2 and (6 7 8) and pigment and (9 10 11 14) and 12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
23	L26	0	2 and ink and pigment and (9 10 11 14) and 12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
24	L27	1485	(524/606).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
25	L28	0	27 and (6 7 8) and pigment and (9 10 11 14) and 12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
26	L29	5	27 and ink and pigment and (9 10 11 14) and 12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
27	L30	13	(1 2 27) and (6 7 8 ink) and pigment and 12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
28	L31	22	ink and (6 7 8) and pigment and (9 10 11 14) and 12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
29	L32	73	ink and organic adj solvent and pigment and (9 10 11 14) and 12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
30	L33	1	ink and (6 7 8) and pigment and (acid or base) same ph! and 12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
31	L34	20	ink and (6 7 8) and pigment and (acid or base) same (viscosity or resolubility or resolubiliz\$5) and 12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
32	L35	7	(("4830671") or ("5183847") or ("4490430")) .PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
33	L36	22	(6 7 8) and pigment and (9 10 11 14) and 12 and ink	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
34	L37	101	pigment and (9 10 11 14) and 12 and ink	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
35	L38	4	(1 2 27) and (6 7 8) and pigment and 12 and ink	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
36	L39	13	(1 2 27) and pigment and 12 and ink	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
37	L40	6	(6 7 8) and pigment and 12 and ink.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
38	L41	140	(9 10 11 14) and 12 and ink	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
39	L42	5	1 and 12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
40	L43	92	(inkjet or ink near3 jet) and 12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
41	L44	10	(("6251175") or ("6247801") or ("5596027") or ("6379441") or ("5922118")) .PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
42	L45	12	(("6251175") or ("6247801") or ("5596027") or ("6379440") or ("5922118") or ("6425948")) .PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
43	L46	2	ep-621319-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
44	L47	34	ink.ti. and 12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
45	L48	51	(6 7 8) and 12 and ink	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
46	L49	1467	(6 7 8) and pigment and (9 10 11 14) and polyamide and ink	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
47	L50	417	(6 7 8) and pigment and (9 10 11 14) and polyamide and ink.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
48	L51	280	(6 7 8) and pigment and (9 10 11 14) and polyamide and ink.ti. and (flexo or flexograph\$2 or printing adj ink or gravure or rotogravure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
49	L52	324	12 and ink	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
50	L53	2	("5095058").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
51	L54	1	53 and ink	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
52	L55	2844	pigment and (9 10 11 14) and nitrocellulose and ink	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
53	L56	113	pigment and (9 10 11 14) and nitrocellulose and packaging near5 ink	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
54	L58	189	pigment and (9 10 11 14) and nitrocellulose and ink.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
55	L59	9	pigment and (9 10 11 14) and nitrocellulose.ab. and ink.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
56	L60	8	"4490430"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
57	L61	11	("3413184" "4251276" "4308318" "4384797" "4415903" "4420758" "4425569").PN. OR ("4490430").URPN.	US-PGPUB; USPAT; USOCR
58	L62	0	61 and (9 10 11 14)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
59	L63	52	ink same reink\$3 same spool	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
60	L64	1	63 and (9 10 11 14)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
61	L65	55	ink same spool and (9 10 11 14)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
62	L66	244	thermal adj printing same transfer adj ribbon	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
63	L67	8	66 and ink and (9 10 11 14)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
64	L68	121	pigment and (9 10 11 14) and nitrocellulose and (packaging or package) near5 ink	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
65	L69	212	pigment and (9 10 11 14) and flexible near5 (packaging or package) and ink	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
66	L70	93	pigment and (9 10 11 14) and flexible near5 (packaging or package) same ink	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
67	L71	31	pigment and (9 10 11 14) and flexible near5 (packaging or package) and ink.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
68	L72	1428	pigment and (9 10 11 14) and (flexo or flexograph\$2) with ink	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
69	L73	87	1 and 72	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
70	L74	109	pigment and (9 10 11 14) and (flexo or flexograph\$2) with ink.ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
71	L75	484	(6 8) and (9 10 11 14) and (flexo or flexograph\$2) with ink	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
72	L76	382	(6 8) and (9 10 11 14) and (flexo or flexograph\$2) near5 ink	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
73	L77	157	(6 8) and (9 10 11 14) same ink and (flexo or flexograph\$2) near5 ink	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
74	L78	84	(6 8) and (9 10 11 14) with ph! and (flexo or flexograph\$2) near5 ink	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
75	L79	51	ph with (9 10 11 14) and flexible near5 (packaging or package) and ink	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
76	L80	6797	(nonaqueous or non adj aqueous or (solvent or oil) adj base\$2 or oily) adj ink	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
77	L81	318	80 and (9 10 11 14) and (flexo or flexograph\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
78	L83	196	80 and 10 and (flexo or flexograph\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
79	L82	34	80 and 9 and (flexo or flexograph\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
80	L84	62	80 and 11 and (flexo or flexograph\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
81	L85	190	80 and 14 and (flexo or flexograph\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
82	L86	2	("5472490").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
83	L87	2	86 and (gravure or flexo or flexograph\$2 or print\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
84	L88	2	("5658968").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
85	L89	1	88 and 12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
86	L90	2	86 and aliphatic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
87	L91	24	macromelt adj "6239" with 12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
88	L92	0	macromelt adj "6239" with hot adj melt near5 polyamide	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
89	L93	1	macromelt adj "6239" same hot adj melt near5 polyamide	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
90	L94	1	macromelt with "6239" same hot adj melt near5 polyamide	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
91	L95	5	macromelt with "6239" and hot adj melt near5 polyamide	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
92	L96	6	macromelt\$5 with "6239" and hot adj melt near5 polyamide	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
93	L97	56	macromelt\$5 same hot adj melt near5 polyamide	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
94	L98	6	macromelt\$5 same hot adj melt adj polyamide	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
95	L99	2	("5095058").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
96	L100	1	99 and 12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB